

WABER POWERLINE MASTER POWER CONTROL OUTLET BOXES



SIX "U" GROUND OUTLETS

ON-OFF
SWITCH

FUSE OR
PUSH-TO-RESET
CIRCUIT BREAKER

BRIGHT
PILOT
LIGHT

TOUGH NEOPRENE
CORD-SET

MOLDED PLUG

CONVENIENT
MOUNTING EARS

STEEL CASE
FINISHED IN
SILVER GRAY
TEXTURED HAMMERTONE

RATED AT
15 AMPERES, 130 VOLTS
CONTINUOUS DUTY

**IDEAL FOR PLANTS, LABS,
SCHOOLS, INSTITUTIONS**

**WABER "INSTANT WIRING" MULTIPLIES YOUR AVAILABLE
OUTLETS . . . QUICKLY . . . ECONOMICALLY . . . *Safely!***

Waber's "Instant Outlets" give you quick, safe, low-cost power placement wherever electrical power is used. These plug-in units are heavy-duty, industrial grade outlet boxes, completely safe (most models contain either fuse or circuit breaker), completely versatile (your choice of many special features, including new "series stringing" for multiple installations). Cut your wiring costs

- now. Order the Waber Power Outlet Boxes to fit your need. All standard units are rated at 15 amperes, 130 volts. Most also available in 20 ampere models. Custom units can be supplied to meet your specific requirements. Write or call us today if you have a need for an outlet box with variations from our standard line shown in this catalog.

WABER ELECTRONICS INC., Hancock & Somerset Sts., Phila., Pa. 19133

PHONE: (215) NEBRASKA 4-3200

WABER MODELS 15 & 17 SERIES MASTER POWER CONTROLS

FEATURES

- * Panel mounted fuse or circuit breakers
- * Tough neoprene cord-set
- * Bright neon pilot light
- * On-off switch
- * UL approved components
- * 12 3/4" mounting centers
- Size: 13 1/8 x 2 3/8 x 1 5/8"
- * Rated 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

Master Control for "Series-stringing" Waber electrical outlet boxes. Seven "U" ground outlets including one jumper outlet on the end. (See illustration below).

Model 15 (fuse, 6' cord-set)	8.75 Net
Model 15-15 (fuse, 15' cord-set)	9.75 Net
Model 15CB (crct. brkr., 6' cord-set)	9.75 Net
Model 15CB-15 (crct. brkr., 15' cord-set)	10.75 Net




Nine heavy duty "U" ground outlets, including one on end for "series-stringing" use. This unit does not have off-on switch, pilot light, fuse, or circuit breaker. Designed primarily as a slave unit for Model 15, it can be used independently where outlets only are required, and built in fuse or circuit breaker protection is not needed.

Model 17 (6' cord-set)	6.75 Net
Model 17-15 (15' cord-set)	7.75 Net

NEW!

A JUMPER
OUTLET ON
THE END



PLUG ONE BOX
INTO ANOTHER

**MULTIPLIES YOUR
AVAILABLE OUTLETS .
QUICKLY . . . ECONOMICALLY**

WABER 30 SERIES TWO WIRE MASTER POWER CONTROLS



FEATURES

- * Panel mounted fuse or circuit breaker
- * 4 On-off switches
- * Tough 10' neoprene cord-set
- * UL approved components
- * 12 3/4" mounting centers.
- Size: 13 1/8 x 2 3/8 x 1 5/8"
- * Rated 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

Model 30 (fuse type)	5.95 Net
Model 30CB (circuit breaker type)	6.95 Net

Model 32 (fuse, 6' cord-set)	8.50 Net
Model 32-15 (fuse, 15' cord-set)	9.50 Net
Model 32CB (crct. brkr., 6' cord-set)	9.50 Net
Model 32CB-15 (crct. brkr. 15' cord-set)	10.50 Net

WABER MODEL 32 SERIES "U" GROUND MASTER POWER CONTROL

FEATURES

- * Panel mounted fuse or circuit breaker
- * Four on-off switches
- * Tough neoprene cord-set
- * UL approved components
- * 12 3/4" mounting centers
- Size: 13 1/8 x 2 3/8 x 1 5/8"
- * Rated 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone



POWER WHERE YOU WANT IT...WHEN YOU WANT IT WITH WABER *Pre-wired* BOXES

WABER 24 SERIES "U" GROUND MASTER POWER CONTROL



FAT
PHOEBE

WABER MODEL 20 SERIES TWO WIRE OUTLET BOX



SKINNY
MILTON

FEATURES

- * Panel mounted fuse or circuit breaker
- * Bright neon pilot light
- * On-off switch
- * Tough neoprene cord-set
- * UL approved components
- * 12 3/4" mounting centers.
Size: 13 1/8 x 2 3/8 x 1 5/8"
- * Rated 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

These two popular Waber Power-line models, with switch and pilot light, provide heavy duty outlets with fuse or circuit breaker protection.

Model 20 (fuse type)	5.95 Net
Model 20CB (circuit breaker type).	6.95 Net
Model 24 (fuse, 6' cord-set)	8.50 Net
Model 24-15 (fuse, 15' cord-set)	9.50 Net
Model 24CB (crct. brkr., 6' cord-set)	9.50 Net
Model 24CB-15 (crct. brkr., 15 ft. cord-set).	10.50 Net

FEATURES

- * Panel mounted fuse or circuit breaker
- * On-off switch
- * Bright pilot light
- * Tough 10' neoprene cord-set
- * UL approved components
- * 12 3/4" mounting centers
Size: 13 1/8 x 2 3/8 x 1 5/8"
- * Rated 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

COMPLETE WITH
COLOR CODED
SWITCH-OUTLET
SETS
AND CENTER
"WRITE-ON"
STRIP
FOR
IMMEDIATE
IDENTIFICATION

DE LUXE MODELS



WABER
"25" SERIES
MASTER POWER
CONTROL CENTER



WABER
"35" SERIES
MASTER POWER
CONTROL CENTER

Waber Deluxe models feature individual color coded switching and an overall master switch, pilot light, and center "write-on" strip

Model 25 (fuse, 6' cord-set).	15.50 Net
Model 25-15 (fuse, 15' cord-set).	16.50 Net
Model 25CB (crct. brkr., 6' cord-set)	16.50 Net
Model 25CB-15 (crct. brkr., 15' cord-set).	17.50 Net

Model 35 (fuse type)	13.50 Net
Model 35CB (circuit breaker type).	14.50 Net

FEATURES

- * Panel mounted fuse or circuit breaker
- * Bright neon pilot light
- * Master on-off switch plus 7 on-off switches
- * Tough neoprene cord-set
- * UL approved components
- * 12 3/4" mounting centers
Size: 13 1/8 x 4 3/4 x 1 5/8"
- * Rated at 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

FEATURES

- * Panel mounted fuse or circuit breaker
- * Bright neon pilot light
- * Master on-off switch plus 7 on-off switches
- * Tough neoprene, 10 ft. cord-set
- * UL approved components
- * 12 3/4" mounting centers
Size: 13 1/8 x 4 3/4 x 1 5/8"
- * Rated at 15 amperes, 130 volts continuous duty
- * Steel case finished in silver gray textured hammertone

NEW! WABER GIANT 4 FT. HEAVY DUTY

TOUGH NEOPRENE CORD SET * BRIGHT NEON PILOT LIGHT * ON-OFF SWITCH * UL APPROVED COMPONENTS * STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE * RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY * MOUNTING CENTERS 48 3/4" * SIZE: 49 X 2 X 1 1/2" * FUSE OR PUSH TO RESET CIRCUIT BREAKER AVAILABLE IN MOST MODELS

WABER MODEL 700 SERIES, 8 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 700 (fuse, 6' cord-set)	14.95 Net
Model 700-15 (fuse, 15' cord-set)	15.95 Net
Model 700CB (crct. brkr., 6' cord-set)	15.95 Net
Model 700CB-15 (crct. brkr., 15' cord-set)	16.95 Net

WABER MODEL 705 SERIES, 15 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 705 (fuse, 6' cord-set)	18.95 Net
Model 705-15 (fuse, 15' cord-set)	19.95 Net
Model 705CB (crct. brkr., 6' cord-set)	19.95 Net
Model 705CB-15 (crct. brkr., 15' cord-set)	20.95 Net

WABER MODEL 707 SERIES, 14 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 707 (fuse, 6' cord-set)	15.75 Net
Model 707-15 (fuse, 15' cord-set)	16.75 Net
Model 707CB (crct. brkr., 6' cord-set)	16.75 Net
Model 707CB-15 (crct. brkr., 15' cord-set)	17.75 Net

WABER MODEL 710 SERIES, 8 U GRD. OUTLETS ONLY

Model 710 (6' cord-set)	12.95 Net
Model 710-15 (15' cord-set)	13.95 Net

WABER MODEL 711 SERIES, 14 U GRD. OUTLETS ONLY

Model 711 (6' cord-set)	13.95 Net
Model 711-15 (15' cord-set)	14.95 Net

WABER MODEL 715 SERIES, 15 U GRD. OUTLETS ONLY

Model 715 (6' cord-set)	16.95 Net
Model 715-15 (15' cord-set)	17.95 Net

WABER MODEL 720 SERIES, 14 LOCKING TYPE OUTLETS, ON-OFF SWITCH BRIGHT PILOT LIGHT

Model 720 (fuse, 6' cord-set)	32.95 Net
Model 720-15 (fuse, 15' cord-set)	33.95 Net
Model 720CB (crct. brkr., 6' cord-set)	33.95 Net
Model 720CB-15 (crct. brkr., 15' cord-set)	34.95 Net

WABER MODEL 725 SERIES, 14 LOCKING TYPE OUTLETS ONLY

Model 725 (6' cord-set)	31.95 Net
Model 725-15 (15' cord-set)	32.95 Net

WABER MODEL 730 SERIES, 14 CROW'S FOOT OUTLETS, ON-OFF SWITCH, BRIGHT PILOT LIGHT

Model 730 (fuse, 6' cord-set)	32.95 Net
Model 730-15 (fuse, 15' cord-set)	33.95 Net
Model 730CB (crct. brkr., 6' cord-set)	33.95 Net
Model 730CB-15 (crct. brkr., 15' cord-set)	34.95 Net

WABER MODEL 735 SERIES 14 CROW'S FOOT OUTLETS ONLY

Model 735 (6' cord-set)	31.95 Net
Model 735-15 (15' cord-set)	32.95 Net



PHILA. 33, PA.

Models 730 and 735 not illustrated (same as Model 720)

OUTLET BOXES

"LONG JOHN" SERIES

NEW WABER "STRING BEAN" SERIES

SPACE-SAVER SIZE IN A STURDY STEEL CASE

COMPLETELY WIRED FOR INSTANT USE



715

720

725

as 720 and 725)



1000

1001

1010

THESE FOUR FOOT BEAUTIES!
ONLY ONE AND ONE EIGHTH INCH DEEP,
ONLY ONE AND ONE HALF INCH WIDE!

These new Waber "String-Bean" models occupy a minimum of space, yet are sturdily made to meet the heavy duty needs of the laboratory or industrial plant. Waber "String-Bean" units are of heavy duty steel construction to provide many years of useful service in rack cabinets, on workbenches, and in production and testing. They are fully wired, ready to plug-in for instant use.

Choose the unit you need from the many shown here. If a special modification would suit your needs better, let us design a unit for your specific application.

TOUGH NEOPRENE CORD SET * BRIGHT NEON PILOT LIGHT * ON-OFF SWITCH * UL APPROVED COMPONENTS * STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE * RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY * MOUNTING CENTERS 48 3/4" * SIZE: 49 X 1 1/2 X 1 1/8" * FUSE OR CIRCUIT BREAKER AVAILABLE IN MOST MODELS

MODEL 1000 SERIES, 12 "U" GROUND OUTLETS,
BRIGHT PILOT LIGHT, ON-OFF SWITCH

Model 1000 (fuse, 6' cord-set)	17.95 Net
Model 1000-15 (fuse, 15' cord-set)	18.95 Net
Model 1000CB (crct. brkr., 6' cord-set)	18.95 Net
Model 1000CB-15 (crct. brkr. 15' cord-set)	19.95 Net

MODEL 1001 SERIES, 12 "U" GROUND OUTLETS,
FUSE OR CIRCUIT BREAKER

Model 1001 (fuse, 6' cord-set)	16.95 Net
Model 1001-15 (fuse, 15' cord-set)	17.95 Net
Model 1001CB (crct. brkr., 6' cord-set)	17.95 Net
Model 1001-CB-15 (crct. brkr. 15' cord-set)	18.95 Net

MODEL 1002 SERIES, 12 "U" GROUND OUTLETS ONLY


Model 1002 (6' cord-set)	15.95 Net
Model 1002-15 (15' cord-set)	16.95 Net

MODEL 1010 SERIES, MASTER ON-OFF SWITCH, PILOT LIGHT, AND 8 SETS OF "U" GROUND OUTLETS, PILOT LIGHTS, AND ON-OFF SWITCHES

Model 1010 (fuse, 6' cord-set)	25.95 Net
Model 1010-15 (fuse, 15' cord-set)	26.95 Net
Model 1010CB (crct. brkr., 6' cord-set)	26.95 Net
Model 1010CB-15 (crct. brkr., 15' cord-set)	27.95 Net


ON-OFF SWITCH * BRIGHT PILOT LIGHT * TOUGH NEOPRENE CORD SET * UL APPROVED COMPONENTS * RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY * STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE * YOUR CHOICE OF FUSE OR PUSH TO RESET CIRCUIT BREAKER * 12 7/8 X 2 7/8" MOUNTING CENTERS * SIZE 13 1/4 X 4 1/4 X 1 1/2"

WABER POWERLINE DUPLEX "800" SERIES MASTER POWER CONTROL CENTER




MODEL 801 SERIES, LOCKING TYPE OUTLETS

Model 801 (fuse, 6' cord-set)	29.95 Net
Model 801-15 (fuse, 15' cord-set)	30.95 Net
Model 801CB (crct. brkr., 6' cord-set)	30.95 Net
Model 801CB-15 (crct. brkr., 15' cord-set)	31.95 Net



MODEL 800 SERIES, "U" GROUND OUTLETS

Model 800 (fuse, 6' cord-set)	13.50 Net
Model 800-15 (fuse, 15' cord-set)	14.50 Net
Model 800CB (crct. brkr., 6' cord-set)	14.50 Net
Model 800CB-15 (crct. brkr., 15' cord-set)	15.50 Net




MODEL 802 SERIES, CROW'S FOOT TYPE OUTLETS

Model 802 (fuse, 6' cord-set)	34.95 Net
Model 802-15 (fuse, 15' cord-set)	35.95 Net
Model 802CB (crct. brkr., 6' cord-set)	35.95 Net
Model 802CB-15 (crct. brkr., 15' cord-set)	36.95 Net

ON-OFF SWITCH * BRIGHT PILOT LIGHT * TOUGH NEOPRENE CORD SET * UL APPROVED COMPONENTS * RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY * STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE * YOUR CHOICE OF FUSE OR PUSH TO RESET CIRCUIT BREAKER * 8 1/4" MOUNTING CENTERS * SIZE: 8 5/8 X 2 1/4 X 1 1/2"

"Compacts" SPACE SAVER MODELS


WABER 602 SERIES ELECTRICAL OUTLET BOX



MODEL 602 SERIES, 5 "U" GROUND OUTLETS ONLY

Model 602 (6' cord-set)	4.80 Net
Model 602-15 (15' cord-set)	5.80 Net

WABER 603 SERIES MASTER POWER CONTROL



MODEL 603 SERIES, 4 "U" GROUND OUTLETS, FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 603 (fuse, 6' cord-set)	5.25 Net
Model 603-15 (fuse, 15' cord-set)	6.25 Net
Model 603CB (crct. brkr., 6' cord-set)	6.25 Net
Model 603CB-15 (crct. brkr., 15' cord-set)	7.25 Net

NEED A SPECIAL ?

Waber can supply you with the outlet box you need, quickly . . . economically!

NEW! WABER "POWER POINTER" MASTER POWER CONTROL BOXES WITH BRIGHT PILOT LIGHT ON EACH COLORED CODED SWITCH-OUTLET SET



WABER SERIES 25P

Same Specifications
As Model 25 on Page 3
Except For Individual
Pilot Lights


Model 25P (fuse, 6' cord-set)	19. 50 Net
Model 25P-15 (fuse, 15' cord-set)	20. 50 Net
Model 25PCB (crct. brkr., 6' cord-set)	20. 50 Net
Model 25PCB-15 (crct. brkr., 15' cord-set)	21. 50 Net

Model 35P (fuse, 10' cord-set)	17. 50 Net
Model 35PCB (crct. brkr., 10' cord-set)	18. 50 Net



WABER SERIES 35P

Same Specifications
As Model 35 On Page 3
Except For Individual
Pilot Lights



WABER SERIES 32P

Same Specifications
As Model 32 On Page 2
Except For Individual
Indicator Lights

Model 32P (fuse, 6' cord-set)	10. 50 Net
Model 32P-15 (fuse, 15' cord-set)	11. 50 Net
Model 32PCB (crct. brkr., 6' cord-set)	11. 50 Net
Model 32PCB-15 (crct. brkr., 15' cord-set)	12. 50 Net

Model 30P (fuse, 10' cord-set)	7. 50 Net
Model 30PCB (crct. brkr., 10' cord-set)	8. 50 Net



WABER SERIES 30P

Same Specifications
As Model 30 On Page 2
Except For Individual
Pilot Lights

LOW PRICED COMPACTS COMPLETELY WIRED, READY TO USE

WABER MODEL 605 SERIES MASTER POWER CONTROL



MODEL 605 SERIES, 3 "U" GROUND OUTLETS, PILOT LIGHT, ON-OFF SWITCH, FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 605 (fuse, 6' cord-set)	5. 95 Net
Model 605-15 (fuse, 15' cord-set)	6. 95 Net
Model 605CB (crct. brkr., 6' cord-set)	6. 95 Net
Model 605CB-15 (crct. brkr., 15' cord-set)	7. 95 Net



WABER MODEL 606 SERIES MASTER POWER CONTROL

MODEL 606 SERIES, 2 SETS (SWITCH, PILOT LIGHT, OUTLET), FUSE OR PUSH TO RESET CIRCUIT BREAKER

Model 606 (fuse, 6' cord-set)	6. 75 Net
Model 606-15 (fuse, 15' cord-set)	7. 75 Net
Model 606CB (crct. brkr., 6' cord-set)	7. 75 Net
Model 606CB-15 (crct. brkr., 15' cord-set)	8. 75 Net

WABER RACK MOUNTS

"900" SERIES

MASTER POWER CONTROLS

STANDARD 3 1/2" X 19" UNITS MADE TO BE MOUNTED ON A RACK PANEL FOR REMOTE CONTROL OF OTHER WABER POWER OUTLET BOXES MOUNTED INSIDE THE RACK CABINET, OR FOR SUPPLYING POWER TO COMPONENTS IN THE CABINET

MODEL 900 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS

Model 900 (fuse, 6' cord-set)	10.95 Net
Model 900-15 (fuse, 15' cord-set)	11.95 Net
Model 900CB (crct. brkr., 6' cord-set)	11.95 Net
Model 900CB-15 (crct. brkr., 15' cord-set)	12.95 Net

MODEL 904 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS, 2 IN FRONT 4 IN BACK

Model 904 (fuse, 6' cord-set)	12.95 Net
Model 904-15 (fuse, 15' cord-set)	13.95 Net
Model 904CB (crct. brkr., 6' cord-set)	13.95 Net
Model 904CB-15 (15' cord-set, crct. brkr.)	14.95 Net

MODEL 905 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX LOCKING TYPE OUTLETS, 2 IN FRONT AND 4 IN BACK OF PANEL


Model 905 (fuse, 6' cord-set)	23.95 Net
Model 905-15 (fuse, 15' cord-set)	24.95 Net
Model 905CB (crct. brkr., 6' cord-set)	24.95 Net
Model 905CB-15 (crct. brkr., 15' cord-set)	25.95 Net

MODEL 906 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX CROW'S FOOT OUTLETS, 2 IN FRONT 4 IN BACK

Model 906 (fuse, 6' cord-set)	24.95 Net
Model 906-15 (fuse, 15' cord-set)	25.95 Net
Model 906CB (crct. brkr., 6' cord-set)	25.95 Net
Model 906CB-15 (crct. brkr., 15' cord-set)	26.95 Net



Waber Model 900 has six "U" ground outlets controlled by an on-off switch, with a pilot light, and fuse or circuit breaker. The 6 or 15 foot cord-set is of tough, durable neoprene.



Waber Models 904, 905, and 906 Rack Power Mounts have two outlets on the front and four outlets mounted on the rear of the panel. This provides an excellent source of power for equipment mounted in the rack. Control is from the front with the convenience of a pilot light, on-off switch, and fuse or circuit breaker for protection.

Model 904 is fitted with "U" ground type outlets, Model 905 with twist locking type, and Model 906 crow's foot.

DUST AND SAFETY COVER
FOR THE MODEL 900 SERIES 3.00 net

WABER ELECTRONICS INC.
Hancock & Somerset Sts.
Philadelphia, Pa. 19133



POWER TAPS & OUTLET BOXES

Please Note Our New Address

WABER ELECTRONICS INC.

2000 NORTH SECOND ST.

PHILADELPHIA, PA. 19122

123
VARIETIES
WABER
POWERLINE
"INSTANT
WIRING"
MASTER
POWER
CONTROLS

BULK RATE
U. S. POSTAGE
PAID

Permit No. 2192
Philadelphia, Pa.

Mr. T. Nelson
Interlocking Sys. Co.
Box 1546
Poughkeepsie, N. Y. EL. PRO

